

T. DONOVAN & SON (1997) LTD.

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: DOWTHERM* SR-1 HEAT TRANSFER FLUID
CHEMICAL NAME: INHIBITED ETHYLENE GLYCOL TREATMENT
MANUFACTURER: T. DONOVAN & SON (1997) LTD
REGULAR PHONE #: 506-642-1500 HOURS: 8:30 - 4:30
EMERGENCY PHONE #: 613-996-6666 CHEMICAL EMERGENCIES ONLY
PRODUCT USE: INDUSTRIAL APPLICATION

SECTION II - HAZARDOUS INGREDIENTS

INGREDIENTS	CONC.%	CAS #
ETHYLENE GLYCOL	>95 %	0107-21-1
DIPOTASSIUM PHOSPHATE	1-5 %	7758-11-4
WATER	1-5 %	7732-18-5

SECTION III - PHYSICAL DATA

PHYSICAL STATE	: LIQUID	ODOR	: NONE
BOILING POINT (C)	: 325F, 163C	FREEZING POINT (C)	: N/AV
ODOR THRESHOLD	: N/A	VAPOR PRESSURE	: 2.2 mmHg @ 20C, 68F
VAPOR DENSITY	: >1.0	PERCENT VOLATILE	: N/A
EVAPORATION RATE	: N/AP	pH	: N/AV
SPECIFIC GRAVITY: 1.1295		COEFF WATER / OIL	: N/AP
SOLUBILITY IN WATER: SOLUBLE		BULK DENSITY	: N/A

SECTION IV - FIRE AND EXPLOSION DATA

FLAMMABILITY : NON-FLAMMABLE AT RECOMMENDED TEMPERATURES AND PRESSURES
EXTINGUISHING MEDIA : FOR LARGE FIRES USE FOAM. FOR SMALL FIRES CO2 OR
DRY CHEMICAL MAY BE USED.
SPECIAL FIRE FIGHTING PROC : WEAR NIOSH APPROVED SELF CONTAINED BREATHING
APPARATUS.
FIRE & EXPLOSION HAZARDS : MAY PRODUCE A FLOATING FIRE HAZARD IN EXTREME
CASES.
FLASHPOINT : 232F, 111C (ETHYLENE GLYCOL)
AUTO-IGNITION TEMPERATURE (C): 748F, 398C (IN AIR)
UPPER FLAMMABILITY LIMIT : N/A
LOWER FLAMMABILITY LIMIT : N/A
HAZARDOUS COMB. PROD. : SEE SECTION V
EXPLOSION SENSITIVITY TO IMPACT: N/A
SENSITIVITY TO STATIC : N/A

DOWTHERM SR-1 100%

SECTION V - REACTIVITY DATA

CHEMICAL STABILITY : YES, STABLE UNDER NORMAL CONDITIONS OF USE.

INCOMPATIBILITY : SEE BELOW

CONDITIONS TO AVOID : STRONG ACIDS, STRONG BASES, STRONG OXIDIZING AGENTS

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

HAZARDOUS DECOMPOSITION: ALDEHYDES, ALCOHOLS, ETHERS

SECTION VI - TOXICOLOGICAL EFFECTS

CHRONIC AND ACUTE EFFECTS UPON ROUTES OF ENTRY

EYE CONTACT: IRRITANT. MAY CAUSE SLIGHT TEMPORARY EYE IRRITATION. CORNEAL INJURY IS UNLIKELY. VAPOR OR MIST MAY CAUSE EYE IRRITATION.

SKIN CONTACT: BRIEF CONTACT IS ESSENTIALLY NONIRRITATING TO SKIN. PROLONGED CONTACT CAN CAUSE SLIGHT SKIN IRRITATION OR DAMAGED SKIN IF ABSORBED IN LARGE QUANTITIES.

INGESTION: MAY CAUSE NAUSEA, VOMITING ABDOMINAL DISCOMFORT OR DIARRHEA. MAY BE FATAL IF SWALLOWED IN LARGE QUANTITIES. (GREATER THAN 100 mL)

INHALATION: IRRITATION OF NOSE, THROAT AND LUNGS.

EXPOSURE LIMITS : 100 mg/m³ SYNERGISTIC PRODUCTS : NONE

IRRITANCY : NONE SENSITIZATION : NONE

CARCINOGENICITY : NONE TERATOGENICITY : NONE

MUTAGENICITY : NONE REPRODUCTIVE TOXICITY : NONE

SECTION VII - EMERGENCY AND FIRST AIR PROCEDURES

IN ALL CASES, SEEK MEDICAL ATTENTION IMMEDIATELY

EYE CONTACT: FLUSH EYES WITH WATER FOR 30 MINUTES, HOLDING THE EYELIDS OPEN. A NEUTRAL SALINE SOLUTION MAY BE USED TO FLUSH CONTAMINATED EYES.

SKIN CONTACT: FLUSH WITH WATER FOR 30 MINUTES. REMOVE CONTAMINATED CLOTHING. COMPLETELY DECONTAMINATE CLOTHING AND ALL PROTECTIVE EQUIPMENT.

INGESTION: DO NOT INDUCE VOMITING. DRINK LARGE QUANTITIES OF WATER OR MILK. IF VOMITING OCCURS NATURALLY, HAVE VICTIM LEAN FORWARD. REPEAT ADMINISTERING WATER.

INHALATION: REMOVE FROM CONTAMINATED AREA. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF DIFFICULTY BREATHING, GIVE OXYGEN.

DOWTHERM SR-1 100%

SECTION VIII - PREVENTIVE MEASURES

EYE PROTECTION : SAFETY OR CHEMICAL GLASSES FOR FULL FACE MASK.
SKIN PROTECTION : RUBBER OR PLASTIC GLOVES, COVERALLS OR APRON.
RESPIRATORY PROTECTION : WEAR NIOSH APPROVED RESPIRATOR.
ENGINEERING CONTROLS : GENERAL MECHANICAL VENTILATION.

SPILL & LEAK PROCEDURES : WEAR NECESSARY PROTECTIVE CLOTHING AND EQUIPMENT.
PUMP SPILLED PRODUCT INTO WASTE CONTAINER. CONTAIN LARGE SPILLS FOR LATER DISPOSAL.

WASTE DISPOSAL : DISPOSE ACCORDING TO LOCAL, PROVINCIAL AND FEDERAL LAWS.

HANDLING & STORAGE : STORE IN CLOSED CONTAINERS IN DRY, COOL AREAS. DO NOT STORE NEAR ACIDS.

SECTION IX - TRANSPORT AND REGULATORY INFORMATION

TDG REGULATION : NON REGULATED

WHMIS CLASSIFICATION : CLASS D-2A

PREPARED BY: TECHNICAL SERVICES DEPARTMENT
T. DONOVAN & SON (1997) LTD.
P.O. BOX 183
SAINT JOHN, N.B.
E2L 3X8

PREPARATION DATE : MARCH 10, 1999

REVISION DATE: DECEMBER 15, 2013

NOTICE: WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF, T. DONOVAN & SON (1997) LTD., MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.