

T. DONOVAN & SON (1997) LTD.
MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: TRIPLE C # 321

CHEMICAL NAME: PHOSPHATE TREATMENT

MANUFACTURER: T. DONOVAN & SON (1997) LTD

REGULAR PHONE #: 506-642-1500 HOURS: 8:30 - 4:30

EMERGENCY PHONE #: 613-996-6666 CHEMICAL EMERGENCIES ONLY

PRODUCT USE: INDUSTRIAL USE ONLY.

SECTION II - HAZARDOUS INGREDIENTS

INGREDIENTS	CONC. %	CAS #
TRISODIUM PHOSPHATE	100 %	10101-89-0

SECTION III - PHYSICAL DATA

PHYSICAL STATE	: SOLID	ODOR	: NONE
BOILING POINT (C)	: N/A	FREEZING POINT (C)	: N/A
ODOR THRESHOLD	: N/A	VAPOR PRESSURE	: N/A
VAPOR DENSITY	: N/AP	PERCENT VOLATILE	: N/A
EVAPORATION RATE	: N/AP	pH	: 11.8 (1%)
BULK DENSITY	: 0.8-0.9 G/CM3	COEFF WATER / OIL	: N/AP
SOLUBILITY IN WATER:	23 G/100 ML	BULK DENSITY	: N/AP

SECTION IV - FIRE AND EXPLOSION DATA

FLAMMABILITY : NON FLAMMABLE

EXTINGUISHING MEDIA : WATER SPRAY, CO2, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROC : WEAR NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS.

FIRE & EXPLOSION HAZARDS : NONE.

FLASHPOINT : NOT APPLICABLE

AUTO-IGNITION TEMPERATURE (C): N/A

UPPER FLAMMABILITY LIMIT : N/A

LOWER FLAMMABILITY LIMIT : N/A

HAZARDOUS COMB. PROD. : SEE SECTION V

EXPLOSION SENSITIVITY TO IMPACT: N/A

SENSITIVITY TO STATIC : N/A

SECTION V - REACTIVITY DATA

CHEMICAL STABILITY : YES, STABLE UNDER NORMAL CONDITIONS OF USE.
INCOMPATIBILITY : STRONG ACIDS
CONDITIONS TO AVOID : REACTS WITH ACIDS, GENERATES HEAT
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
HAZARDOUS DECOMPOSITION: OXIDES OF PHOSPHORUS

SECTION VI - TOXICOLOGICAL EFFECTS

CHRONIC AND ACUTE EFFECTS UPON ROUTES OF ENTRY

EYE CONTACT: SLIGHT IRRITATION.

SKIN CONTACT: SLIGHT IRRITATION.

INHALATION: IRRITATION TO NOSE, THROAT AND LUNGS.

EXPOSURE LIMITS	: N/A	SYNERGISTIC PRODUCTS	: NONE
IRRITANCY	: N/A	SENSITIZATION	: NONE
CARCINOGENICITY	: NONE	TERATOGENICITY	: NONE
MUTAGENICITY	: NONE	REPRODUCTIVE TOXICITY	: NONE

SECTION VII - EMERGENCY AND FIRST AIR PROCEDURES

IN ALL CASES, SEEK MEDICAL ATTENTION IMMEDIATELY

EYE CONTACT: FLUSH EYES WITH WATER FOR 30 MINUTES, HOLDING THE EYELIDS OPEN.

SKIN CONTACT: FLUSH WITH RUNNING WATER AND WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. COMPLETELY DECONTAMINATE CLOTHING AND ALL PROTECTIVE EQUIPMENT.

INGESTION: DO NOT INDUCE VOMITING. DRINK LARGE QUANTITIES OF WATER. IF VOMITING OCCURS NATURALLY, HAVE VICTIM LEAN FORWARD. REPEAT ADMINISTERING WATER.

INHALATION: REMOVE FROM CONTAMINATED AREA. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF DIFFICULTY BREATHING, GIVE OXYGEN ONLY BY TRAINED PERSONNEL.

SECTION VIII - PREVENTIVE MEASURES

EYE PROTECTION : SAFETY OR CHEMICAL GLASSES FOR FULL FACE MASK.
SKIN PROTECTION : RUBBER OR PLASTIC GLOVES, COVERALLS OR APRON.
RESPIRATORY PROTECTION : WEAR NIOSH APPROVED RESPIRATOR.
ENGINEERING CONTROLS : GENERAL MECHANICAL VENTILATION.

SPILL & LEAK PROCEDURES : WEAR NECESSARY PROTECTIVE CLOTHING AND EQUIPMENT.
CONSTRUCT A BARRIER. PUMP SPILLED PRODUCT INTO WASTE CONTAINER.

WASTE DISPOSAL : DISPOSE ACCORDING TO LOCAL, PROVINCIAL AND FEDERAL LAWS.

HANDLING & STORAGE : STORE IN CLOSED CONTAINERS IN DRY, COOL AREAS.

SECTION IX - TRANSPORT AND REGULATORY INFORMATION

TDG REGULATION : NON REGULATED

WHMIS CLASSIFICATION : CLASS E

PREPARED BY: TECHNICAL SERVICES DEPARTMENT
T. DONOVAN & SON (1997) LTD.
P.O. BOX 183
SAINT JOHN, N.B.
E2L 3X8

PREPARATION DATE : NOVEMBER 02, 1996

REVISION DATE: DECEMBER 15, 2013

NOTICE: WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF, T. DONOVAN & SON (1997) LTD., MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.