

# SAFETY DATA SHEET

### PRODUCT: TRIPLE C #520

#### SECTION 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER:	T DONOVAN & SON (1997) LTD. 700 WILSON STREET SAINT JOHN, NEW BRUNSWICK CANADA E2M 3V2
	TOLL FREE: 1-888-799-2645 / LOCAL (506) 642-1500
PRODUCT NAME:	Triple C #520
MATERIAL USE:	Boiler Inhibitor Treatment.
EMERGENCY PHONE NUMBER:	(613)-996-6666

## **SECTION 02: HAZARDS IDENTIFICATION**



SIGNAL WORD:	DANGER
HAZARD CLASSIFICATION:	Corrosive to Metals - Category 1
	Skin Corrosion/Irritation - Category 1
	Serious Eye Damage/Irritation - Category 1
HAZARD STATEMENT:	H290: May be corrosive to metals.
	H314: Causes severe skin burns and eye damage.
	H318: Causes serious eye damage.
PRECAUTIONARY STATEMENT:	P234: Keep only in original container.
	P260: Do not breathe mist or vapour.
	P264: Wash skin thoroughly after handling.
	P280: Wear protective gloves, protective clothing and eye protection or face
	protection.
	P301+ P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303+ P361+ P353: IF ON SKIN (or hair): Remove immediately all contaminated
	clothing. Rinse SKIN with water.
	P304+ P340: IF INHALED: Remove victim to fresh air and Keep at rest in a position
	comfortable for breathing.
	P305+ P351+ P338: IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P310: Immediately call a POISON CENTER or physician.
	P321: Specific treatment - see information on this label.
	P363: Wash contaminated clothing before reuse.
	P390: Absorb spillage to prevent material damage.
	P405: Store locked up.
	<b>P406:</b> Store in corrosive resistant/container with a resistant inner liner.
	<b>P501:</b> Dispose of contents/container to an approved waste disposal plant.
HAZARDS NOT OTHERWISE CLASSIFIED	None.
(HNOC): ADDITIONAL INFORMATION:	None.

SECTION 03: COMPOSITION/INFORMATION ON INGREDIENTS		
INGREDIENT(S)	CAS #	WT. %
Potassium Hydroxide	1310-58-3	10 - 15

Definitions:

CAS - Chemical Abstract Service registry number.

WT. % - Percent Weight.



## PRODUCT: TRIPLE C #520

	SECTION 04: FIRST AID MEASURES	
GENERAL ADVICE:	Move out of dangerous area. Perform first aid measures as indicated. Seek	
	immediate medical attention and show this safety data sheet to attending physician.	
IF INHALED:	Move to fresh air and keep at rest in a position comfortable for breathing. If breathing	
	difficulty occurs or persists seek immediate medical attention.	
IN CASE OF SKIN CONTACT:	Immediately flush exposed skin with water for at least 15 minutes while removing	
IN CASE OF EYE CONTACT:	contaminated clothing and/or shoes. Seek immediate medical attention. Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower	
IN CASE OF ETE CONTACT.	eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek	
	immediate medical attention.	
IF SWALLOWED:	Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.	
THE MOST IMPORTANT SYMPTOMS AND	g	
EFFECTS, WHETHER ACUTE OR	No Information Available.	
DELAYED: INDICATION OF ANY IMMEDIATE		
MEDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL	No Information Available.	
TREATMENT NEEDED:		
	ECTION 05: FIRE FIGHTING MEASURES	
FLAMABILITY:	See Section 16 - Other Information.	
SUITABLE EXTINGUISHING MEDIA:	Use extinguishing media suitable for surrounding fire or source of fire. Use water	
	spray to cool fire exposed containers.	
UNSUITABLE EXTINGUISHING MEDIA:	No Information Available.	
SPECIFIC HAZARDS ARISING FROM THE CHEMICAL:	No Information Available.	
PRECAUTIONS FOR FIREFIGHTERS::	No Information Available.	
FIREFIGHTING INSTRUCTIONS:	No Information Available.	
PROTECTION DURING FIREFIGHTING:	Wear full protective gear and full face pressure demand self-contained breathing	
	apparatus.	
OTHER INFORMATION:	No additional information available.	
PECT.	ON 06: ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTIONS:	Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or	
	dust. Wear appropriate personal protective equipment as outlined in Section 8 of this	
	Safety Data Sheet (SDS).	
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Contain spilled material and	
	prevent run-off onto ground or into water sources or sewers.	
METHODS AND MATERIALS FOR	Neutralize with appropriate acidic material if possible. Absorb on inert material and	
CONTAINMENT AND CLEAN UP:	place in containers for disposal. Dispose of spilled/collected material in accordance	
	with all Federal, Provincial and local regulations.	
	ECTION 07: HANDLING AND STORAGE	
PRECAUTIONS FOR SAFE HANDLING:	Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure	
	adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate	
	personal protective equipment as outlined in Section 8 of this SDS.	
CONDITIONS FOR SAFE STORAGE:	Store in original container. Keep container tightly closed. Store at room temperature (10-32.2°C (50-90°F)) in a dry well-ventilated area.	
SECTION 08: EXPOSURE CONTROLS/PERSONAL PROTECTION		

INGREDIENT(S)	DATA SOURCE	EXPOSURE FORM	EXPOSURE VALUE	EXPOSURE NOTES
Potassium Hydroxide	Occupational Safety and Health Administration (OSHA) permissible exposure limit (PEL)	Time Weighted Average (TWA)	3 mg/m <sup>3</sup>	-



SECTION 08:	EXPOSURE CONTROLS/PERSONAL PROTECTION
ENGINEERING CONTROLS:	Use local and/or general exhaust ventilation to maintain air born concentrations below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.
EYE/FACE PROTECTION:	Safety glasses or chemical goggles should be worn when handling this material.
SKIN AND BODY PROTECTION:	Hand Protection: Wear chemical resistant gloves when handling.
<b>RESPIRATORY PROTECTION:</b>	Wear respiratory protection if mist or vapor is produced, while using this material
GENERAL HYGIENE CONSIDERATIONS:	Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.
OTHER/TYPE:	Wear chemical resistant apron when handling.

# SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Light Amber Liquid.
ODOUR:	Mild.
ODOUR THRESHOLD:	No Data Available.
PH:	13.5.
MELTING POINT/FREEZING POINT:	No Data Available.
INITIAL BOILING POINT:	No Data Available.
FLASH POINT:	No Data Available.
EVAPORATION RATE:	No Data Available.
FLAMMABILITY (SOLIDS AND GASES):	No Data Available.
LOWER FLAMMABILITY LIMIT:	No Data Available.
UPPER FLAMMABLE LIMIT:	No Data Available.
LOWER EXPLOSIVE LIMIT:	No Data Available.
UPPER EXPLOSIVE LIMIT:	No Data Available.
VAPOUR PRESSURE:	No Data Available.
VAPOUR DENSITY:	No Data Available.
RELATIVE DENSITY:	No Data Available.
SPECIFIC GRAVITY:	1.080.
SOLUBILITY IN WATER:	Complete.
AUTO IGNITION TEMPERATURE:	No Data Available.
PARTITION COEFFICIENT	No Data Available.
DECOMPOSITION TEMPERATURE:	No Data Available.
VISCOSITY:	No Data Available.
DENSITY:	No Data Available.

SECTION 10: STABILITY AND REACTIVITY		
REACTIVITY:	Not reactive under normal use conditions.	
CHEMICAL STABILITY:	Material is stable under normal handling and storage conditions.	
POSSIBILITY OF HAZARDOUS REACTIONS:	Hazardous polymerization will not occur.	
CONDITIONS TO AVOID:	Avoid excessive heating, freezing and chemical contamination.	
INCOMPATIBLE MATERIALS:	Avoid contact with oxidizers and strong acids.	
DECOMPOSITION PRODUCTS:	No decomposition products are expected under normal storage and handling conditions.	



SECTION 11: TOXICOLOGICAL INFORMATION		
INFORMATION ON THE LIKELY ROUT	ES OF EXPOSURE:	
INHALATION:	No Information Available.	
SKIN CONTACT:	This material is corrosive and can cause severe, permanent damage.	
EYE CONTACT:	This material is irritating and corrosive to the eyes and can cause serious injury and permanent eye damage.	
INGESTION:	No Information Available.	
SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:	No Information Available.	
DELAYED AND CHRONIC EFFECTS:	There are no known effects of chronic exposure other than those experienced through acute exposure.	

#### NUMERICAL MEASURES OF TOXICITY:

INGREDIENT(S)	EXPOSURE	SPECIES	DOSE	NOTES
Potassium Hydroxide	No Information Available			
ACUTE TOXICITY:	Mixt	ure - No Information Available.		
SKIN CORROSION / IRRIT	ATION: Mixt	ure - Corrosive to skin.		
SERIOUS EYE DAMAGE / IRRITATION:	EYE Mixt	ure - Corrosive to the eyes.		
RESPIRATORY OR SKIN S	SENSITIZATION: Mixt	ure - No Information Available.		
SKIN SENSITIZATION:	Mixt	ure - No Information Available.		
GERM CELL MUTAGENIC	ITY: Mixt	ure - No Information Available.		
CARCINOGENICITY:	Mixt	ure -This product is considered	d to be a potential carcine	ogen by:
		National Toxicolog	gy Program (NTP) - No.	
		OSHA - No.		
		International Ager	icy for Research on Can	cer (IARC) - No.
REPRODUCTIVE TOXICITY	Y: Mixt effect	ure - This product is not expec ets.	ted to cause reproductive	e and developmental
SPECIFIC TARGET ORGAI (STOT)- SINGLE EXPOSUR	Mixt	ure - No Information Available.		
STOT - REPEAT EXPOSUR	RE: Mixt	ure - No Information Available.		
ASPIRATION HAZARD:	Mixt	ure - This product is not an asp	piration hazard.	
ADDITIONAL INFORMATIC	Non Non	9.		

# SECTION 12: ECOLOGICAL INFORMATION

#### **ECOTOXICITY:** No Information Available.

INGREDIENT(S)	EXPOSURE		SPECIES	DOSE	NOTES
Potassium Hydroxide	No Information Available				
PERSISTENCE AND DEGR	ADABILITY:	Mixture -	No Information Available	).	
BIOACCUMULATIVE POTEI	NTIAL:	Mixture - No Information Available.			
MOBILITY IN SOIL:		Mixture - No Information Available.			
OTHER ADVERSE EFFECTS	S:	Mixture -	No Information Available	9.	
ADDITIONAL INFORMATION	N:	No addit	ional information available	е.	



	CTION 13: DISPOSAL CONSIDERATIONS
DISPOSAL METHODS:	Dispose of material in accordance with all Federal, Provincial and local regulations.
CONTAMINATED PACKAGING:	Triple rinse container and offer for recycling. Dispose of container following all Federal, Provincial and local regulations.
ADDITIONAL INFORMATION:	No additional information available.
	ECTION 14: TRANSPORT INFORMATION
Transportation of Dangerous Goods (TDG):	Regulated.
US Department of Transportation (DOT):	Regulated.
UNITED NATIONS (UN) NUMBER:	3266
PROPER SHIPPING NAME:	UN3266, CORROSIVE LIQUID, BASIC, INORGANIC, NOS (POTASSIUM HYDROXIDE), 8, PG II.
TRANSPORT HAZARD CLASS:	8
SUBSIDARY RISK	None.
PACKING GROUP:	II
PACKAGING EXCEPTIONS:	None.
	CTION 15: REGULATORY INFORMATION
WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM (WHMIS) CLASSIFICATION:	E.
HAZARDOUS PRODUCT REGULATIONS (HPR) COMPLIANCE:	This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.
Canadian Ingredient Disclosure List Substances:	None Listed.
UNITED STATES (US) FEDERAL REGULATIONS:	
Superfund Amendments and Reauthorization Act (SARA):	<ul><li>Immediate (Acute) Health Hazard.</li><li>Reactivity Hazard.</li></ul>
	SARA 302 Extremely Hazardous Substance: Not listed.
	SARA 304 Emergency Release Notification: Not regulated. SARA 311/312 Hazardous Chemical: No.
	SARA 311/312 Hazardous Chemical. No. SARA 313 Toxic Release Inventory (TRI) Report: Not regulated.
Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA):	This chemical is not a pesticide product.
Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):	None Listed.
Clean Air Act Regulated Substances:	None.
Clean Water Act Regulated Substances:	None.
US STATE OR LOCAL REGULATIONS:	None.

## SECTION 16: OTHER INFORMATION

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM (HMIS) Hazard ID:

HEALTH	3
FLAMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	С



### **SECTION 16: OTHER INFORMATION**

National Fire Protection Association (NFPA):



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

PREPARED BY:	T Donovan & Son (1997) Ltd.
PREPARATION DATE:	May 2018

#### DISCLAIMER:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Regulatory requirements are subject to change and may differ between various locations. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.