

T. DONOVAN & SON (1997) LTD.

MATERIAL SAFETY DATA SHEET

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: TRIPLE C #840

CHEMICAL NAME: FUEL OIL TREATMENT

MANUFACTURER: T. DONOVAN & SON (1997) LTD

REGULAR PHONE #: 506-642-1500      HOURS: 8:30 - 4:30  
EMERGENCY PHONE #: 613-996-6666      CHEMICAL EMERGENCIES ONLY

PRODUCT USE: INDUSTRIAL USE ONLY.

SECTION II - HAZARDOUS INGREDIENTS

INGREDIENTS	CONC. %	CAS #
MANGANESE NAPHTHENATE SOLUTION	5-15 %	N/AV
COPPER NAPHTHENATE SOLUTION	5-15 %	N/AV
SOLVENT NAPHTHA	70-90 %	68334-30-5

SECTION III - PHYSICAL DATA

PHYSICAL STATE : LIQUID	ODOR : HYDROCARBON
BOILING POINT (C) : N/A	FREEZING POINT (C) : 0 DEG C
ODOR THRESHOLD : N/A	VAPOR PRESSURE : N/A
VAPOR DENSITY : N/A	PERCENT VOLATILE : N/A
EVAPORATION RATE : N/A	pH : 9.0 MAX
SPECIFIC GRAVITY: N/A	COEFF WATER / OIL : N/A
SOLUBILITY IN WATER: INSOLUBLE	BULK DENSITY : N/A

SECTION IV - FIRE AND EXPLOSION DATA

FLAMMABILITY : FLAMMABLE  
EXTINGUISHING MEDIA : WATER FOG, CO2, FOAM, OR DRY CHEMICAL  
SPECIAL FIRE FIGHTING PROC : WEAR NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS.  
FLASHPOINT : 55 C  
AUTO-IGNITION TEMPERATURE (C): 258  
UPPER FLAMMABILITY LIMIT : 5.0 %  
LOWER FLAMMABILITY LIMIT : 0.7 %  
HAZARDOUS COMB. PROD. : CARBON DIOXIDE  
EXPLOSION SENSITIVITY TO IMPACT: N/A  
SENSITIVITY TO STATIC : YES

#840

## SECTION V - REACTIVITY DATA

CHEMICAL STABILITY : YES, STABLE UNDER NORMAL CONDITIONS OF USE.  
CONDITIONS TO AVOID : CONTACT WITH OXIDIZING AGENTS AND ACIDS  
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR  
HAZARDOUS DECOMPOSITION: CARBON MONOXIDE AND DIOXIDE

## SECTION VI - TOXICOLOGICAL EFFECTS

### CHRONIC AND ACUTE EFFECTS UPON ROUTES OF ENTRY

EYE CONTACT: IRRITANT - CAUSES IRRITATION AND BURNS.  
SKIN CONTACT: IRRITANT - MAY BE ABSORBED THROUGH SKIN, MAY CAUSE BURNS.  
INGESTION: SWALLOWING WILL RESULT IN GASTROINTESTINAL IRRITATION, VOMITING, DEPRESSION. MAY BE HARMFUL OR FATAL IF SWALLOWED. MAY CAUSE NARCOSIS.  
INHALATION: MILDLY IRRITATING. INHALATION OF CONCENTRATED VAPOURS MAY CAUSE HEADACHE, INCOORDINATION.

EXPOSURE LIMITS	: N/A	SYNERGISTIC PRODUCTS	: NONE
IRRITANCY	: MINOR	SENSITIZATION	: NONE
CARCINOGENICITY	: NONE	TERATOGENICITY	: NONE
MUTAGENICITY	: NONE	REPRODUCTIVE TOXICITY	: NONE

## SECTION VII - EMERGENCY AND FIRST AID PROCEDURES

IN ALL CASES, SEEK MEDICAL ATTENTION IMMEDIATELY

EYE CONTACT: FLUSH EYES WITH WATER FOR 30 MINUTES, HOLDING THE EYELIDS OPEN.

SKIN CONTACT: FLUSH WITH RUNNING WATER AND WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. COMPLETELY DECONTAMINATE CLOTHING AND ALL PROTECTIVE EQUIPMENT.

INGESTION: DO NOT INDUCE VOMITING. CONTAINS PETROLEUM DISTILLATE. ASPIRATION MAY LEAD TO PNEUMONITIS. CALL A PHYSICIAN.

INHALATION: REMOVE FROM CONTAMINATED AREA. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF DIFFICULTY BREATHING, GIVE OXYGEN ONLY BY TRAINED PERSONNEL.

## SECTION VIII - PREVENTIVE MEASURES

EYE PROTECTION : SAFETY OR CHEMICAL GLASSES FOR FULL FACE MASK.  
SKIN PROTECTION : RUBBER OR PLASTIC GLOVES, COVERALLS OR APRON.  
RESPIRATORY PROTECTION : WEAR NIOSH APPROVED RESPIRATOR.  
ENGINEERING CONTROLS : GENERAL MECHANICAL VENTILATION.

# 840

SPILL & LEAK PROCEDURES : WEAR NECESSARY PROTECTIVE CLOTHING AND EQUIPMENT. REMOVE SOURCES OF IGNITION. VENTILATE AREA. COVER WITH INERT ABSORBENT. REMOVE TO DISPOSAL CONTAINER.

WASTE DISPOSAL : DISPOSE ACCORDING TO LOCAL, PROVINCIAL AND FEDERAL LAWS.

HANDLING & STORAGE : PROTECT FROM HEAT, DIRECT SUNLIGHT, AND SOURCE OF IGNITION. PROVIDE ADEQUATE VENTILATION.

## SECTION IX - TRANSPORT AND REGULATORY INFORMATION

TDG REGULATION: EXEMPT UNDER SECTION 1.33 (C)  
TRANSPORTATION OF DANGEROUS GOODS ACT

WHMIS CLASSIFICATION : CLASS D-2B, B-3

PREPARED BY: TECHNICAL SERVICES DEPARTMENT  
T. DONOVAN & SON (1997) LTD.  
P.O. BOX 183  
SAINT JOHN, N.B.  
E2L 3X8

PREPARATION DATE : NOVEMBER 2, 1996  
REVISION DATE: DECEMBER 15, 2013

NOTICE: WHILE THE INFORMATION AND RECOMMENDATIONS SET FORTH HEREIN ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF, T. DONOVAN & SON (1997) LTD., MAKES NO WARRANTY WITH RESPECT THERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.